


GENERAL NOTES - FLOOR PLAN

- 1 THESE NOTES APPLY TO ALL FLOOR PLAN SHEETS
- 2 DIMENSIONS ON PLANS ARE TO THE FACE OF GYPSUM BOARD, EXPOSED FACE OF MASONRY (IF PRESENT), EXPOSED FACE OF CONCRETE, OR CENTERLINE OF COLUMNS OR OTHER STRUCTURAL MEMBERS, UNLESS NOTED OTHERWISE
- 3 INSTALL VERTICAL CONTROL JOINTS IN GYPSUM BOARD WHERE WALL LENGTH EXCEEDS 30 FEET, AND AT EACH SIDE OF OPENINGS THAT DO NOT TERMINATE AT A CEILING, AND OTHER LOCATIONS INDICATED, AND IN ACCORDANCE WITH GA-216
- 4 FINISH FLOOR ELEVATIONS NOTED ARE TAKEN FROM THE TOP OF STRUCTURAL CONCRETE.
- 5 REFER TO FINISH FLOOR PLANS FOR EXTENT OF SPECIAL FINISHES AND FOR FLOOR FINISH PATTERNS
- 6 DO NOT CUT ANY STRUCTURAL ELEMENT IN A MANNER THAT WILL DIMINISH THEIR LOAD CARRYING CAPACITY. NOTIFY STRUCTURAL ENGINEER AND DO NOT PROCEED WITH ANY STRUCTURAL CUT WITHOUT HIS WRITTEN APPROVAL
- 7 ALL WOOD BLOCKING CONCEALED WITHIN THE BUILDING CONSTRUCTION IS FIRE-RETARDANT-TREATED
- 8 REFER TO MEP SERIES DRAWINGS FOR ITEMS REQUIRED BUT NOT SHOWN ON ARCHITECTURAL DRAWINGS. PROVIDE LOCKABLE ACCESS PANELS AT ALL LOCATIONS NOTED OR LOCATIONS REQUIRING ACCESS AS INDICATED ON MEP DRAWINGS. PROVIDE NECESSARY BLOCKING, FRAMING, ETC. FOR ACCESS PANELS.
- 9 UNLESS NOTED OTHERWISE, HINGE JAMBS OF DOORS SHALL BE HELD 4 INCHES OFF ADJACENT PERPENDICULAR WALLS TO FACE OF DOOR FRAME
- 10 UNLESS NOTED OTHERWISE, PROVIDE A MINIMUM OF 18 INCHES OF CLEAR FLOOR SPACE BETWEEN THE FACE OF THE STRIKE JAMB OF DOORS TO ADJACENT PERPENDICULAR WALLS. THIS REQUIREMENT DOES NOT APPLY TO NON-ACCESSIBLE TOILET STALLS.
- 11 PROVIDE APPROPRIATE FIRESTOPPING ASSEMBLIES AT ALL PENETRATIONS OF RATED WALL OR FLOOR ASSEMBLIES
- 12 THESE GENERAL NOTES APPLY TO ALL FLOOR PLANS, UNLESS NOTED OTHERWISE

GSC Architects
901 South MoPac Expy
Bldg III, Suite 400
Austin, Texas 78746
Phone: 512.477.9417

WORK WELL WIN
Enter address here

NO.	REVISION	DATE
PRELIMINARY		
FOR INTERIM REVIEW ONLY. NOT FOR REGULATORY APPROVAL, PERMITTING, OR CONSTRUCTION.		
JOSEPH NICHOLAS LAROCCA TX ARCHITECT LIC # 15367		
SHEET NAME:		
FLOOR PLAN - LEVEL 1		
DATE:		
REVIEWED BY: GSC		
PROJECT NO.: Project Number		
SHEET NO.:		
A03-01		



1 LEVEL 1
1/8" = 1'-0"